



# T12 RECALL CHART

ARTIST:  
ENGINEER:  
DATE:

NOTES:  
DRAWN BY:  
STUDIO:

This section contains two identical recall charts for the T12 Tube Mic Preamp, labeled 1 and 2. Each chart is a schematic representation of the preamp's control panel. On the left, there are two push-buttons with '+' symbols. The main panel includes a microphone grille, a HI-Z IN selector knob, a MIC IMPEDANCE OHMS knob (500, 1500, 2000, 2500), a LOW CUT Hz knob (240, 120, 60, OUT), a GAIN knob, a LEVEL knob, a VU meter with a PEAK indicator, and an OUTPUT LEVEL VU knob. At the bottom are four checkboxes: POL, 48V, PAD -20, and MIC. On the right, there is a push-button with a '+' symbol, a push-button with a '-' symbol, and another push-button with a '+' symbol. The 'api select' logo is on the far right.

NOTES:

This section contains two identical recall charts for the T12 Tube Mic Preamp, labeled 1 and 2. Each chart is a schematic representation of the preamp's control panel. On the left, there are two push-buttons with '+' symbols. The main panel includes a microphone grille, a HI-Z IN selector knob, a MIC IMPEDANCE OHMS knob (500, 1500, 2000, 2500), a LOW CUT Hz knob (240, 120, 60, OUT), a GAIN knob, a LEVEL knob, a VU meter with a PEAK indicator, and an OUTPUT LEVEL VU knob. At the bottom are four checkboxes: POL, 48V, PAD -20, and MIC. On the right, there is a push-button with a '+' symbol, a push-button with a '-' symbol, and another push-button with a '+' symbol. The 'api select' logo is on the far right.

NOTES: